App F IX 4

Previous References

1941-42 Mtl File No 107-41
Municipal
Serial Nos 7, 28, 29
30, 31, 32, 33

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 7

Part B for 1941-42

SUBJECT

Remission of arrears of electric charges on account of water supply to Krishna Rajanagar Mully

---

The DC Mysore
" D.P.W.
" Chief Engr for Irrigation
" Accountant
" Chief Electrical Engr
" Secy Electric Dept:

Lr 4733-36 dated 16.11.41
Arrears to be paid in instalments

1394 (1

Office of the Dewan of Mysore

Bangalore,
Dated 1st September 1941

DE
1 SEP 1941
NO M 278

SECY LAW DEPT
1941
C R C MYSORE

NOTE

Rel 107-41-27

1) During his visit to Krishnarajnagar on the 29th August 1941 a representation was made to the Dewan, on behalf of the Town Municipal Council, in regard to the remission of a portion of the sum due by them on account of the charges for electric power supplied for purposes of water-supply It was requested that a sum of Rs 5,000/- out of Rs 11,200/- claimed by the Water-Supply Department might be remitted A similar representation seems to have been made to the Minister for Local Self Government The Dewan would like to know how this question stands at present

Private Secretary to the Dewan 1/9/41

Law Secretary
with [redacted]ments

2) Please put the references early

1/9/41

Remission of electric charges for the Power supplied for the water supply to Krishnarajanagar

1394/2

General and Revenue Secretariat | File No 111 of 1941-42 | [App F III-2

Serial No

3) Sd/- There are no references in this office re the remission of Electric Charges due by the Krishnarajanagar town Municipality on account of water supply maintenance Charges to the Bureau of Sanitary Engineering A demi official letter calling for certain information from the D C Mysore or is put up for approval

9/9/41

4) Issue HH 9-9

for

1 The Dy Commr Mysore Dt No L 2161 Dated 9-9-41 Calls for certain information

Submitted for perusal & orders

for 10/9/41

Law Secy) HH 10-9

6) Hm 14/9/41

Let No D3-2560/3940 Dated 12-9-41, from the Dy Commr, Mysore Dt forwarding the information called for

7) In furnishing the information called for the Dy Commr states, that the Krishnarajanagar town Mcl have been urging, that the arrears of Water Supply Maintenance Charges due to the Bureau of Sanitary Engineering for the period from Nov'36 to Oct 39 be waived by Govt 8) According to the figs furnished by the Mcl, it is seen that out of the total demand of Rs 11,915 9 9, only a sum of Rs 6633 has been paid to the Sanl Dept,

NOTE—Contn Sheet

SECY LAW DEPT 10 SEP 1941 GOVT OF MYSORE

1394 / 1672

Remission of Elec Charges for the Power supplied for the water supply at K R Nagar of 1941

Mu Fu No

General and Revenue Secretariat

Serial No

leaving a balance of Rs 5081-f in arrears

9 The D C further states that he did not feel justified in approaching the Govt as he was aware of the fact that similar dues from all the Mullahs in the State exceeded Rs 2½ lakhs of that the Govt had consistently declined to grant any Concessions in regard to this liability, on the ground that waiving the recovery in one Case would be urged as a precedent in other Cases also

10 It is reported that a representation was made to the then Dewan, On behalf of the Dhobi on the above subject, who in reply was pleased to say that the Request of the Dhobi would be sympathetically Considered by Govt

11) Submitted for Orders, Whether the Remarks of the Dy of Pts on the Contentions put forward by the K R Nagar Cocon Dhobi may be awarded

Bln 16/9/41 My kind reference is invited to the letter of the D C mysore Dtd 9, which explains the facts of the case fully. It will be clear from them that so far no definite representation has been made to Govt. for the remission of a sum of Rs 5081/- yet due by the Krishnarajanagar minor Mcl to Govt; on account of the arrears of Maintenance of the Water supply Charges, from Nov 1936 to October 1939

P V D

Revision of electric charges for the power supplied for the Kathsuffy at K R Nga

General and Revenue Secretariat

File No of 194 1672/2 [App F III—2

Serial No

13) In the circs stated by the D.C., the further remarks of the Superintending Engr, Irrigation circle and of the Sanitary Engr may perhaps be awaited.

D- OFFICE 26 SEP 1941 No 2613

14) Subs for perusal & orders with reference to the Private Secy's note dated 18 9 41.

SECY. LAW DEPT 19 SEP 1941 GOVT O MYSORE

Law Secy) for 18 9 41

for 18/9/41

15) The Municipal Council have recently sent a full statement of their case to the D C Mysore and he has forwarded the same to the Superintending Engineer, Irrigation Circle and to the Sanitary Engineer, Bureau of Sanitary Engineering with a request to examine the contentions put forward in the note and send up their remarks to Govt.

16) The reports may be awaited.

OFFICE OF THE MINISTER FOR L S G & P H Dt 24-9-41 No L.S.14

Minister) 18 9 Hm 21/9/41

& Dewan) for 23/9/14

17) Hm 25 9 41

Secy A (Jul)

18 Secy 26/9/41

NOTE—Contn Sheet

WD 03967—GPB—5 000—30 8 41

Hm 27 1941

Ans 28/9/41

Arrears of Electric Charges on sale of Water Supply - Recovering Stages

File No

of 194

General and Revenue Secretariat

(1) For orders if this may not be sent to C-E for from Getting the Reports due from the Superintending Engineer Investigation Circle expected. The D P H work also be watched

SK 17/12

17 12 41

(2) Submitted a draft letter to D P H for issue of necessary

17/12/41

18/12/41

SK 18/12

Letter No L 53499/B 19 12 1941, forwarded the letter to the D E Rep for early return

2. The D P H

D E Rep Dft

Remarks for transmission to Chief Engineer

(3) Forwarded with compliments

SK 22/12 - Copy to the Chief Engineer for favour of necessary action with reference to A Superintending Engineer return

By order

Ramachandran

Section Officer

Law Department

22/12/41

TYPING SECTION 19 DEC 1941 SECT

OFFICE OF THE CHIEF ENGINEER OF IRRIGATION P D No 715 1941 PWD

MD 20-307

0722/12/41

DCRS Sent Form 1532 for return

24/12/41

ARREARS OF ELECTRIC CHARGES ON ACCOUNT
OF WATER SUPPLY TO KRISHNARAJNAGAR MUNICIPALITY

(6)

PUBLIC WORKS SECRETARIAT | File No | of 194

Serial No

Returned, with compliments

No 1107 / 1155 — 9 3 42

& 1 Sh 1 A Copy 2 Tagged Secrets — Sh

4248 10/3/42

2 A statement of daily gauge readings at water supply reservoir at Krishnarajnagar, during the non-irrigation season of 1937, received from the Superintending Engineer, Irrigation Circle, is herewith enclosed It will be seen therefrom that the reservoir always contained sufficient head of water to enable the hydraulic ram to work and that if the kerosine pump was used it was not because there was insufficiency of water for working the ram but because to cope with increased demand for supply of water to the town

3 The Sanitary Engineer, in his letter No 1698 dated 16th November 1941, addressed to the Executive Engineer, K R.Sagar Division (Flag V) has confirmed the above statement

4 In the last part of Para (2) of the Municipal President's note contained in the accompanying file, the President has himself admitted that the hydraulic ram with its lesser pumping capacity could not satisfy the rapidly growing demand of the town

5 A copy of letter No 9477 dated 6th February 1942 received from the Superintending Engineer, Irrigation Circle, is also enclosed for perusal

GOVT LAW DEPT 2123 11 3 02 GOVT OF MYSORE

6/3/42

Offg CHIEF ENGINEER OF MYSORE

Secy Law / WC 10/3/42

WP 0101—GPB—20 000—15-2-41

Letter No 9477 dated 6th February 1942 from the Superintending Engineer, Irrigation Circle, Mysore, to the Chief Engineer of Mysore, Bangalore

---

Subject: Arrears of electric charges on account of water supply, Krishnarajnagar Municipality

---

With reference to your Memo No 1843/KSS dated the 7th January 1942, forwarding for report, the Secretariat file relating to the above subject, I have the honour to submit herewith, a copy of letter No 1661 dated the 27th January 1942 together with a copy of the statement of gauge readings of the water supply reservoir at Krishnarajnagar, for the non-irrigation season of 1937, received from the Executive Engineer, Krishnarajsagar Division, for information The contention of the Municipal President, put forward in his note that 'the channels department found it difficult to supply water during non-irrigation season, in such abundance as to enable the hydraulic ram to work continuously' thus necessitating the working of the kerosine oil engine at a high cost, is not supported by fact It may kindly be seen from the daily gauge readings of the water supply reservoir at Krishnarajnagar, recorded during the non-irrigation season - January to June of 1937, that the reservoir always contained sufficient head of water to enable the working of the hydraulic ram, and as such, if there was necessity for the working of the kerosine engine also, it was due not for want of sufficient water supply by this department, but to the increase demand for water supply to the town The gauge readings for 1938 and 1939 seasons have not been taken, but, however, it may be stated that enough quantity of water was always made available by this department in accordance with the indents received The Sanitary Engineer, Bureau of Sanitary Engineering, in his letter No 1698 dated the 16th November 1941 to the Executive Engineer, Krishnarajsagar Division, also confirms the statement made above that the Kerosine oil engine was worked more for

for the sake of pumping more water to meet the growing demand of the town, than on account of the fact that supply of water had failed in the channel A copy of this letter is also herein enclosed for kind perusal

Under the above circumstances, the contention of the Municipal President, cannot be accepted and the extra cost incurred by the Krishnarajnagar Municipality during the three years referred to, was in no way due to shortage of water supply by this department The President himself had admitted in the latter part of para 2 of his note that the hydraulic ram with its lesser pumping capacity could not satisfy the rapidly growing demand, and as such the services of Kerosine oil engine though costly had to be restored

The file of papers received with the memo under reference is herewith resubmitted

---

(C o p y)

For Chief Engineer of Mysore

-2-37	-do-	-	12-3-37			13-4-3	-	5 00	13-5-3	-	4 70	13-6-37	-	1 50
3-2-37	-do-	-	13-3-37	-	5 P M	14-4-3	-	4 00	14-5-37	-	4 0	14-6-37	-	0 50
14-2-37	0 00	5 50	14-3-37	-	10	15-4-37	-	3 00	15-5-37	-	3 50	15-6-37	-	0 70
15-2-37	5 75	-	15-3-37	-	00	16-4-37	-	2 50	16-5-37	-	3 50	16-6-37	-	0 7
16-2-37	5 50	-	16-3-37	-	00	17-4-37	-	2 00	17-5-37	-	3 50	17-6-37	-	-50
17-2-37	1 50	-	17-3-3	-	95									
18-2-37	3 50	-	18-3-37	-	2 20	18-4-37	-	1 00	18-5-37	-	3 00	18-6-37	-	0 50
					3 P M									
19-2-37	2 70	-	19-3-37	-	2 70	19-4-37	-	0 10	19-5-37	-	2 75	19-6-37	-	1 75
				11 a m										
20-2-37	1 80	-	20-3-37	3 20	-	20-4-37	-	-1 00	20-5-37	-	2 50	20-6-37	-	2 00
				10 a m	8 p m									
21-2-37	1 00	-	21-3-37	3 80	5 70	21-4-37	-	2 50	21-5-37	-	1 75	21-6-37	-	3 20
				9 a m	3 p m									
22-2-37	0 10	-	22-3-37	5 70	5 60	22-4-37	-	-3 00	22-5-37	-	1 50			
				12 Noon										
23-2-37	-0 70	-	23-3-37	4 90	-	23-4-37	-	-3 50	23-5-37	6.00	6 00			
				12 Noon				4 p m						
24-2-37	-1 40	-	24-3-37	4 10	-	24-4-37	-3 85	4 00	24-5-37	-	5 30			
				-	3 p m									
25-2-37	-2 20	-	25-3-37	-	3 50	25-4-37	-	4 50	25-5-37	-	4 60			
	9 a m				3 p m									
26-2-37	5 50	-	26-3-37	-	3 00	26-4-37	-	3 80	26-5-37	-	4 00			
					3 p m									
27-2-37	4 80	-	27-3-37	-	2 40	27-4-37	-	3 00	27-5-37	-	5 00			
				12 Noon										
28-2-37	3 80	-	28-3-37	2 00	-	28-4-37	-	3 10	28-5-37	-	4 30			
				12 Noon										
			29-3-37	1 50	-	29-4-37	-	2 25	29-5-37	-	4 00			
				9 A	3 p m									
			30-3-37	1 00	2 20	30-4-37	-	1 50	30-5-37	-	3 50			
				12 Noon										
			31-3-37	5 50	-				31-5-37	-	3 00			

Zero level represents the bed level The level of the inlet of the Drain pipe of the Ram is 5½' below Zero

Batin Bhima Rao
Executive Engineer 27-1-42

acb

Statement showing the daily gauge readings at water supply reservoir at Krishnarajnagar

February 1937			March 1937			April 1937			May 1937			June 1937			Remarks
Date	Gauge 6 A M	Gauge 6 P M	Date	Gauge 6 A M	Gauge 6 P M	Date	Gauge 6 A M	Gauge 6 P M	Date	Gauge 6 A M	Gauge 6 P M	Date	Gauge 6 A M	Gauge 6 P M	
1-2-37	-	-	1-3-37	3 00	-	1-4-37	-	4 90	1-5-37	-	0 75	1-6-37	-	2 75	
2-2-37	-	0 00	2-3-37	2 50	-	2-4-37	-	4 10	2-5-37	5 10	-	2-6-37	-	2 30	
3-2-37	5 50	-	3-3-37	2 00	-	3-4-37	-	3 60	3-5-37	-	4 40	3-6-37	-	1 90	
4-2-37	4 75	-	4-3-37	1 30	-	4-4-37	-	3 00	4-5-37		3-80	4-6-37	-	1 50	
5-2-37	3 75	-	5-3-37	0 50	-	5-4-37	-	2 50	5-5-37	-	4 00	5-6-37	-	0 80	
6-2-37	3 00	-	6-3-37	-	3 P M -1 00	6-4-37	-	2 00	6-5-37	-	3 25	6-6-37	-	0 00	
7-2-37	2 50	-	7-3-37	-	3 P M -2 00	7-4-37	-	1 40	7-5-37	-	3 75	7-6-37	-	-1 00	
8-2-37	2 00	-	8-3-37	-	3 P M -3 00	8-4-37	-	0 80	8-5-37	-	3 20	8-6-37	-	-2 00	
9-2-37	1 50	-	9-3-37	-3 60	6-30 P M 5 75	9-4-37	-	0 00	9-5-37	-	2 50	9-6-37	-	-2 50	
10-2-37	0 80	-	10-3-37	-	3-P M 5 50	10-4-37	-	-1 00	10-5-37	12 Noon 2 00	4 00	10-6-37	-3 00	-	
11 2-37	Below 0 00	-	11 3-37	-	3 P M 4 50	11-4-37	-	-2 50	11-5-37	-	5 50	11-6-37	-	-3 70	
12-2-37	-do-	-	12-3-37	-	3 P M 3 50	12-4-37	-3 00	5 50	12-5-37	-	5 50	12-6-37	-4 25	-4 00	
13-2-37	-do-	-	13-3-37	-	5 P M 2 75	13-4-37	-	5 00	13-5-37	-	4 75	13-6-37	0 10	-	
14-2-37	0 00	5 50	14-3-37	-	4 P M 2 10	14-4-37	-	4 00	14-5-37	-	4 00	14-6-37	-	0 50	
15-2-37	5 75	-	15-3-37	-	3 p m 1 00	15-4-37	-	3 00	15-5-37	-	3 50	15-6-37	-	0 70	
16-2-37	5 50	-	16-3-37	-	3 p m 0 00	16-4-37	-	2 50	16-5-37	-	3 50	16-6-37	-	0 70	
17-2-37	1 50	-	17-3-37	-	4 p m 0 95	17-4-37	-	2 00	17-5-37	-	3 50	17-6-37	-	0-50	
[illegible]					3 p m										

6550/L

Arrears of electric charges on account of water supply to Krishnarajanagar Mdly

General and Revenue Secretariat

M File No of 194 1394/L [App. F III-2

Serial No	
3	It is stated by the Chief Engineer that the reservoir always contained sufficient head of water to enable the hydraulic ram to work and that if the reserve tank was used it was not because there was insufficiency of water for working the ram but because to cope with the increased demand for supply of water to the town. This statement appears to have been confirmed by the Sanitary Engineer
'R'	The information called for from the Dy of P H on 19.12.41 has not however been received as yet. Submit for orders as to whether the information called for from the Dy of P H may be awaited
	A draft D.O reminder is also put up for approval
	17/3 - 3/4 Submitted today
	18/3
	19/3
1342	From the Dy of P H
	No C73-22 dt 27.4.42
	States in the circumstances stated that the Mdly has no good grounds for any concessional treatment being meted out to them in respect of their claim to waive the arrears of electric charges on account of water supply. Submit for orders
	15. Bow the Chief Engineer's Remarks 26 to 29 of Note 5 & the

NOTE—Cont Sheet

WD 04155—GPB—55 000—2-40-41

Remission of Power charges – K R Nagar
Mil CC

File No 655 | 1 of 194

General and Revenue Secretariat

Serial No

Dr P H do not accept the Contention of the K R Nagar Munor Mil Cl that the Kerosene pumps were worked because of non supply of water in the Cheru Accordingly the Mil Cls claim for remission of Rs 5000 on account of Power Charges Gets discounted

3) Reference Minute at the opening Pairing Note — Opening page

7/5-38) In the circumstances explained by the Chief Engineer & the Director of Public Health, it is for orders if the D.C Mysore Distt Nagar informed that their contention & request for the remission of Rs 5000/- claimed by the water supply dept on account of charges for the Electric power supplied for the purpose of water supply cannot be complied with

38) Reject ~~Dadaas~~ para 1 of the note supra

Law Secy) 7/5/42

ICC 'A' may be done

Mumtv) LSG)

Hon 7/5/42 for

OFFICE OF THE MINISTER FOR L S G & P H Dt 9 5 1942 No 7028

SECY 4010 1 1 1 GOVT OF MYSORE

(A) W 6550/4 12

Serial No

DEPARTMENT
14 MAY 1942
NO 9829

41) It is not necessary at this stage to go into the merits of a particular course of action adopted to supply water to the town. The whole point is that the Municipality is particularly situated on account of the town being mainly [illegible] and has many heavy commitments financially which cannot be written off on account of its limited resources. The Municipality deserves special consideration owing to various obvious reasons. It has paid more than 50% of its dues towards the power charges and plead inability to pay the balance as a special case the balance may be remitted

Secy
12 5 42

42) This may be informally considered at a casual meeting

Secy
14/5/42

OFFICE OF THE MINISTER FOR L S G & P H
Dt 14 MAY 1942
N 7146

NOTE—Contn Sheet

CHIEF SECRETARY
15 MAY 1942
GOVT OF MYSORE

Chief Secy
15/5/42

43) Secy
14 5 42

44) Minister
15/5/42

WD 04155—GPB—55 000— 8-10-41

File No	of 194	General and Revenue Secretariat
		Serial No

2464/L

C 240

1918/L

GEN & R V S
10 AUG 1942
L S G BRANCH

Subject

Proposal to remit the arrears of electric charges for pumping water supply due from the Krishnarajnagar Minor Municipality

Instructions in Council on 4th/5th August 1942

45) Enquire if there are any other similar cases

Law Secy , with compliments)

10/8

10 8 42

46) Pl put up a draft letter

10/8/42

47) Draft letter to the Dir of P H is submitted, for approval

10/8

48) Issue

11/8/42

To,

The Dir of P H

L 1951/ml 107-41-28 dt 13/8/42

Calls for certain information

From The Dir of P H

No 40 dt 16 10 42

States that there are no other similar cases in which arrears of electric charges for pumping water supply schemes have been remitted

49) Noted with respect to the orders at para 4 of 45

Law Secy

SECY LAW DEPT
GOVT OF MYSORE

13/8

22/10

(50) Arrears of electric charges for pumping water due by the Krishnarajapura mills

50) Rep para 45—

Chief Secy
27 C

Accs
22-10-42
for 28/10/42

CHIEF SECY
* 20 OCT 1942 *
BANGALORE

51) Mr 28/10

Order of the Govt
Fols S & P II
Dt 26 10 42
N 3280

Ministers L S G

52) Accs
24-10-42

53) Store
30 10 42
for 30/10/42

54) Submitted for orders
Feb 27/11
S 27/11

Law Secy
for 27/11/42

SECY LAW DEPT
3040
GOVT OF MYSORE

paras 42 & 45—

Chief Secy
27 C

55) Accs
12 11 42
for 14/11/42

CHIEF SECY
* 12 NOV 1942 *
GOVT OF MYSORE

56) The defendant banks has not shown any reasons how grants in circumstances in the past has shown there are any reasons such cases justifying a delay to come up for reasons

Law Secy
14/11

SECY L
GOVT

Mr 14/11

51) Accs
14 11-42
for 14/11/42

55) Draft letter to the Dir of P W submitted for orders
Feb M
-14/11

59) Secy
14/11/42

2359 "A" 2464/L

FOR INFORMAL CONSIDERATION

TYP 21 DEC 1943 GEN

SUBJECT -

Proposal to remit the arrears of electric charges for pumping water due from the Krishnarajanagar Minor Municipality

Law Secy w/c

SECY LAW DEPT 6022 3 GOVT OF MYSORE

To,

The D c Mysore dl
L 6636 dt 4-1-43
Rejects the proposal & calls for certain information

Dft D till 1-2-44 Jd

TYPING SECT 13 JAN 1944 SCT

Dft reminder
A, draft reminder submitted
No L 365 dt 17/1/44

2464/L (1) Remission of arrears of the electric charges on account of water supply to Krishnarajanagar town

General and Revenue Secretariat

M/File No 107 of 1941 C359 [App F; III—2

Serial No

To The Dir of P H
L4888 Dy 17 11 42
Enquires if there are any more such cases pending or likely to come up for remission

Secs P 18/11 M

From The Dir of P H
C141-26 Dy 27 2 43
States that there are no such cases of remission pending at present - except Krishnarajanagar Municipality

6329

(3) Submitted with reference para 56 of the notes supra for orders

Law Secy M 1/3

(4) The Dir of P H has reported that so far, no claim for remission of the arrears of electric charges for pumping water has arisen, except in the case of Krishnarajanagar Municipality

(5) This may be sent to the Chief Secy with reference to para 56 supra

Law Secy 1/3/43

10419 2 3 43

Chief Secy M 2-3-43

CHIEF SECRETARY 2 MAR 1943 6823 MYSORE

(6) Ref paras 42 & 43 of the notes - If agreed, this may be informally considered at the next meeting of Council

DC 2/3

10651 6 3 43

NOTE—Contn sheet

WD 04155—GPB—55 000—23 10 41

(7) Noted

C Sec 6/3/43

Law Secy 5/3/43

1632
L

File No / of 194 | General and Revenue Secretariat

Serial No

From the D-c Nyphe dl

No D3-c-2580/39-40 & 26/8

Requests sanction to the proposal of the President of the Krishnarayapuram Union Mill to pay the arrears of Rs 5000/ in respect of charges for electric power supplied for pumping water at the filtration plant in instalments of Rs 500/- each from

66) In letter No L 6636 & 4-1-44, x A the request of the Krishnarayapuram Union Mill dl to waive the recovery of electric arrears in respect of electric charges referred to above, was rejected

It is seen from the report of the D c that a sum of Rs 500/- towards the arrears of Rs 5,000/- has already been paid The D c recommends that the balance of Rs 4,500/- in this behalf may be allowed to be paid in instalments of Rs 500/- each per year as prayed for by the President

(The sanctioned budget estimate of the Mill for 44-45 has not yet been received to record its financial condition)

1632
L 15

67) In the above circumstances, the proposal to pay the arrears in instalments of Rs500/- each from II is subject to orders

68) The application of the balance may be effected by payment in instalments at the rate of Rs 500/- per mensem

The D.C. - Mysore DISTT should submit report/credit of this amount to the treasury every month & submit a special report whether all the arrears are cleared or not. This is the only way of getting the dues to Govt., as they are outstanding for the years from the year of 36

69) The D.C is requested to apply subject to the above conditions

Lawley
12/9/44

70) The DC's proposal may be approved subject to the above conditions

Under SG 71)

13-9-44

13/9/44 Sec Rev I agree 13/9/44

71) I agree

13-9-44

SECY LA[illegible] DEPT
[illegible] 1946
[illegible]
ECTY TO GOVT REVENUE SECRETARIAT
BANGALORE
Secs No 693
13944
OFFICE OF THE MINISTER
FOR L S G & P H
Dt 14 9 1944
No 21

73) Draft reply accepts
Law
11/11/40

Letter No D3-c 2580/39 dd 30/10/40 from
the D C reporting early orders in the matter

A draft PO is put up/s — Ref Para 73 supra

Mca 1/11

Law
11/11/40

To,

The D C Mysore
The D P H
The Chief Engineer for Irrigation
The Controller

L 4733-8 dd 16-11-40

Sanctions the proposal

Gen a CTT

B Mca 30/11

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

L2161

Dated Bangalore 9th Sept 40

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore
Law Department.

To

The Deputy Commissioner,
Mysore District, Mysore

Sir,

I am directed to state that during the recent visit of the Dewan to Krishnarajanagar, a representation was made to him on behalf of the Municipal Council, that arrears of Rs 11,200/- have been claimed by the water supply department and that a sum of Rs 5,000/- included therein ~~are requesting~~ representing the charges for electric power, supplied for purposes of water supply may be remitted

I am to enquire whether any communication in this behalf has been made to Government in the past and if so, the number, a the same may kindly be intimated

A detailed report may be sent up to Government very ear

I have the honour to be,
Sir,
Your most obedient servant,

Secretary to Government,
Law Department

Appendix F G—1]

SUBJECT

Section
File No
Serial No

No 2167

To

The Dy Commr, Mysore Dt

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 6th Septr '41

Signed by Dr A. Krishnaiah

Sir,

I am directed to state that, during the recent visit of the Dewan to Krishnarajasagar, a representation was made to him, on behalf of the Ryots, that an excess amount of Rs 11,200 had been claimed by the Water-Supply Dept of that a sum of Rs 5000 included therein represented the charges for electric power supplied for purposes of water supply having been deducted

I am to enquire whether any communication on their behalf has been made to Govt in the past & if so, the No & date of the same may kindly be communicated

A detailed report may be sent by the Govt being early

I have &c

for Secy to Govt

List of enclosures

Copied by

Examined by

WD 0563—GPB—30 000—6 1 39

1672

OFFICE OF THE DEPUTY COMMISSIONER
MYSORE DISTRICT

No D3- 2580/39-40
Encl

Dated Mysore the 12th September 1941

FROM

K SUBBA RAO Esq BA
Deputy Commissioner Mysore District

GEN & REV SECRETARIAT MYSORE BRANCH

SECY LAW DEPT 15 SEP 1941 GOVT OF MYSORE

To

H V NARAYANA RAO, ESQ , B A ,LL B ,
Secretary to the Government of Mysore
Law Department, BANGALORE

SIR

SUBJECT:- Arrears of Electric charges on account of water supply - Krishnarajanagar Municipality

With reference to your letter No L 2161 dated the 9th September 1941, I have the honour to state that the Municipal Council, Krishnarajanagar, have been urging for a long time that the recovery of the arrears of water supply maintenance charges due to the Bureau of Sanitary Engineering for the period from November 1936 to October 1939 be waived by Government According to the figures furnished by the Municipal Council, the total outlay incurred in this period by the Department in working the Water Supply system was Rs 11,915-9-9, out of which, a sum of Rs 6,834-11-4 has been paid to the Department leaving a balance of Rs 5,080-14-5 in arrears This was one of the representations made in an address presented to the previous Dewan on the 10th January 1940 when he visited Krishnarajanagar Town In his reply, the Dewan was pleased to hold out hopes that the request of the Municipal Council in this behalf would be sympathetically considered by Government The reason why the matter was not pursued is explained in the two letters which I wrote to the President on the 31st July 1940 and 24th October 1940 respectively I enclose herewith copies of the letters for perusal of Government

2 Till recently, I had not succeeded in obtaining from the Municipal Council a full statement of their case in regard to this matter But, in connection with the visit of the Dewan to

Krishnarajanagar on the 29th of last month the President sent me a note giving a full history of the Water Supply controversy since its very inception A copy of this Note is sent herewith for favour of perusal I am not in a position to verify very many statements made in it I am, therefore, sanding copies of this Note to the Superintending Engineer, Irrigation Circle and to the Sanitary Engineer, Bureau of Sanitary Engineering, with a request to examine the contentions put forward in the Note and send up their remarks to Government - In this connection I invite kind reference to the last para of my letter No D3-2580/39 dated the 24th October 1940 addressed to the Law Secretary, wherein, I have dealt with the high per capita consumption of water in this Municipality

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Mysore District

DBR/-4

A NOTE on Water Supply prepared by the President, Krishnaraja-nagara Municipality

Water service through taps was first provided to K R Nagar Town in the year 1928 The water was pumped to a height of 250 feet before it was distributed to the Town This Scheme consisted of a Hydraulic ram as the Chief pumping plant and the water was thus carried through a raising main line of 4 inches diameter to a reservoir consisting of two chambers each with a capacity to hold 15,000 gallons of water The water supplied to the town was fairly good up to 1933 since there were not many houses at that time and the demand for water was less In addition to the services of this Hydraulic ram there was an Engine of 10 H P run by Kerosene oil used as a lay-by plant A little more than ordinary floods in Cauvery River in the year 1933 and severe out-break of plague made the people of old Yedatore to rush to the new Town and consequently opening of more public taps and giving more house connections to private houses resulted thereby increasing the pressure on the water supply Department

Just at that time the entire area of this new Town was handed over to the Municipality though, however, the management of Water Supply vested with the Assistant Engineer as a part of K R Sagara Works The Municipality began to send up prayers for the improvement of water supply as persisting complaints as the scarcity of water increased The management of water supply was then entrusted to the Bureau of Sanitary Engineering And Vani Vilas Water Works of Mysore took up the actual management in October 1936 Supply of drinking water is the first charge on the C R B Channel But even then the channel department found it a little difficult to supply water during non-irrigation season in such abundance, as to enable the Hydraulic ram to work continuously And during all such time, when Hydraulic ram could not be worked, the services of the Kerosene oil Engine had to be restored to which consumed one tin of 4 gallons of Kerosene oil in every three hours The Hydraulic ram with its lesser pumping

capacity could not satisfy the rapidly growing demand And as such the services of Kerosene oil Engine though costly had to be restored This trouble continued till March 1939 when an Electric Motor with a centrifugal pump was installed and distribution arrangements were to a great extent corrected

The amount of Rs 5080-14-5 which the Municipality has been persistantly praying for being written off pertains to this period from November 1936 to October 1939 Out of the total demand of Rs 11915-9-9, Rs 6834-11-4 has been paid and the balance of Rs 5080-14-5 is the extra cost incurred to pump as much water as possible Even with such heavy cost sufficient water could not be supplied to people probably due to omission of proper calculation at the initial stage

The population of old Yedatore alone seems to have taken into consideration The population of old Yedatore was 3,000 But while calculating the population of new Town hundreds of persons living at new town as artizans and labourers were not taken into consideration This being a purely agricultural Town there are nearly as many number of cattle as people Since water through tap is the only source of water supply for all kinds of use both for men and cattle and as there is no water of any kind anywhere within the radius of two miles water for the huge number of cattle must also be supplied through taps This omission in calculation seems to be one of the reasons

The resolution of the new Town formation Committee dated 18-9-26 contemplated a 5 inch line as the raising main at a cost of Rs 81000-0-0 But just a fortnight later another resolution of the same Committee dated 30-9-26 has reduced this to a 4 inch main The expert opinion is stated to be that with 5 inches or 6 inches main, alone sufficient quantity

of water could be supplied to this Town and not otherwise In fact at this time of improvement of water supply in 1938-39 duplication of the raising main was one of the items calling for consideration But deviation of the C R B Channel was ~~prepared~~ postponed to the duplication as the Electric Motor and pump was expected to better the supply So increasing the capacity of the raising main was felt long ago as a necessity though it was deferred for the time being

Though the present Reservoir is built at the top most ridge of the town, it is not sufficiently high to ensure proper supply to houses situated in high level In addition to this disadvantage the kerosene oil Engine as a lay-by plant proved very disadvantageous A crude oil Engine would certainly have been much better when it is well known that crude oil costs $\frac{1}{3}$ of the kerosene oil for the same quantity If these matters are considered defective initial pumping arrangements they are also responsible to a great extent for the extra cost

It is only during the improvements effected in 1938-39 the distribution of water was set right A big sub-main runs at the ridge point and the several distributaries are taken from this sub-main according to gravitation, and this has resulted in definite improvement over the previous arrangement Previous arrangements which used greater pressure to run water to higher levels were also responsible for the necessary huge cost As a result of all these the present overdue is subsisting The Municipality used the opportunity of the Dewan's visit on 10-1-40 when he came here to lay the foundation stone of Sri Krishnarajendra High School and represented that this overdue amount may kindly be written-off, for which the Dewan Saheb promised a sympathetic consideration

The Municipality prays that the overdue amount may kindly be written off taking into consideration the peculiar circumstances under which the extra cost was involved The grievance of the Municipality is that they were not given an opportunity to express

their opinion at the time of making the pumping arrangements In other ways also the Municipality is hard pressed This is a Minor Municipal Council and within 7 to 8 years it has increased its income by 3 times The rate of Mohatarfa levied here is fairly good and stands favourably when compared ~~w~~ to other Minor Municipal Councils The contribution it has to pay over the Maternity, L F Dispensary, Veterinary Hospital, Water Supply, Town Electrification, Primary Education and High School is very heavy With these and with the cost of establishment there will be nothing left at the end of the year to maintain its lengthy roads, not to speak of the formation of the new rods which are very necessary When it was possible to pay, it paid half of its quota of Rs 13,250/- towards improvement of water supply of this Town undertaken in 1938-39 for a total estimate of Rs 26,500/- The amount of Rs 13,000/- that is now at the credit of the Municipality is the remaining amount that it was possible to accumulate in the old Town Out of this amount, Rs 8,000/- is set apart to meet the equipment charges of the High School and also to form as a guarantee to prove its financial stability

In consideration of the peculiar circumstances of the Municipality it prays for a strong recommendation to Government to waive the present dues

Sd/- K R Marudeva Gowda,
President

==========

" COPY "

Deputy Commissioner,
Mysore District

DBR/-4

Copy of D.O letter No D3- 2580/39 dated the 24th October 1940 from the Deputy Commissioner, Mysore District, Mysore, to the President, Krishnarajanagar Municipality

====

I invite reference to my Memo No D3-3908/35 dated the 5th instant forwarding a copy of my letter to Government regarding the construction of an elevated Reservoir at Krishnarajanagar In that letter, I have recommended that the entire cost of Rs 16,000/- be borne by Government provided the Municipal Council took steps to balance their budget and agreed to meter all house connections Recently some members of the Municipal Council waited on the Second Member of Council and made representations regarding the affairs of the Municipality Subsequently, I had an opportunity of discussing with the Member the pending problems pertaining to your Municipality and I am writing this letter under his instructions He was pleased to state that the Government would sympatnetically consider the question of constructing a Reservoir entirely at the cost of the Government in the event of the Municipal Council agreeing to the suggestions made by me As the shifting of the existing ~~the~~ Reservoir is an urgent necessity, I would ask you to place my proposals before the Municipal Council for their earnest consideration

A scrutiny of the latest budget discloses a wide gap between the normal income and the normal expenditure It is the primary duty of a Municipality to have a balanced budget Your Municipality cannot expect to be spoon-fed by Government for all time to come The cost on account of water supply has increased in recent years by leaps and bounds I have not the least doubt that there is considerable wastage of filtered water in your Town One of the most effective measures for minimising this wastage is to meter all house connections The number of public fountains in your town is unduly large. A Municipality is not a philonthropic body It should render adequate service to the rate-payers for the taxes pai by them The Municipal Council should therefore take immediate measures to effect economies in expenditure But this alone will not balance the two sides of the Municipal accounts The need for developing the resources of the Municipality by levying fresh taxes

is equally urgent I have suggested two new taxes viz , a lighting cess and water cess at annas eight per rupee of Mohatarfa tax It is possible that the council may take the view that the rates suggested by me are unduly ~~my~~ high It is not, however, my intention to force any particular rate or tax on the Municipality I shall be content if the Municipality should take adequate steps to balance its budget, either by economising expenditure or by raising additional funds from fresh taxation or by both The Municipal Council may be requested to take up this question seriously and submit proposals within a month

As regards the representation of the Municipal Councillors that the arrears of Electric Power charges due to the Water Supply Department be waived, the Member definitely told me that the request involved a question of principle on which there could be no compromise If any concession in this respect, is shown to your Municipality the Government cannot refuse similar concession to other Municipalities which are in the same position I understand that more than Rupees two lakhs are due to Government from the several Municipalities on this account The Member, however, stated that he had no objection to order the recovery of arrears due from your Municipality in easy instalments The opinion of the Municipal Council in regard to this matter may be obtained, and submitted early for obtaining the specific orders of Government

======

Copy of the above is forwarded, with compliments, to the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore

Sd/- K Subba Rao,
Deputy Commissioner,
Mysore District

========

" Copy"

Deputy Commissioner,
Mysore District

DBR/-4

2,D

Copy of D O letter No D3-2580/39 dated the 31st July 1940 from the Deputy Commissioner, Mysore District, Mysore, to the Amildar, Krishnarajanagar Taluk, Krishnarajanagar

=====

The arrears of annual maintenance charges of Water Supply due to the Sanitary Department were about Rs 5,500/- at the end of June 1939, and as you know the Sanitary Engineer has been repeatedly complaining that the Municipality has not cleared the arrears inspite of many reminders The ground on which the payment is withheld is understood to be the promise of the Dewan during his last visit that waiving the recovery of this amount would be sympathetically considered by Government I know that the Dewan did give a favourable reply to the representation of the Municipal Councillors in this behalf But the Sanitary Engineer tells me that similar arrears due from all the Municipalities in the State exceed Rs 2½ lakhs and that the Government had consistently declined to grant any concession in regard to this liability of the Municipalities on the ground that waiving the recovery in one case would be urged as a precedent in other cases In the circumstances, I do not feel justified in approaching Government with a request for special treatment in the case of Krishnarajanagar Municipality I am, however, willing to recommend to Government to direct the recovery of the amount in five annual instalments, due provision being made therefor in the current year's budget If the Municipal Council agree, I shall take further action If, however, the Council take their stand on the Dewan's promise the only course open to them is to wait in deputation on the Member in charge and explain matters to him

======

Copy of the foregoing is forwarded, with compliments, to the Sanitary Engineer, Bangalore

Sd/- K Subba Rao,
Deputy Commissioner,
Mysore District

========

"COPY"

Deputy Commissioner,
Mysore District

DBR/-4

Appendix F G —1]

SUBJECT

Section

File No

Serial No

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 19th Decr. '41

Signed by Mr. G. Ramachandra

To. Name type & Desig.

List of enclosures

Copied by

Examined by

No L5349

To

The Director of Public Health in Mysore Bangalore

Sir,

Subject — Arrears of electric Charges on account of water supply — Krishnarajnagar Mpty

I am directed to forward herewith a copy of letter no. D3 2580/39-40 & 12 9 1941, from the D. C. Kolar on the above subject stating that he has sent a copy of the note by the Revenue, H.H. Rajah Municipality & the Supdg Engr Jongahan Circle and the Sanitary Engr Bureau of Sanitary Engineering for their remarks

I am to request you

WD 0563—GPB—30 000—6 1 39

to contract
to obtain the necessary records from
the Sanitary Engineer Bureau of Fisheries and
Sewage Engineering, to expedite his reply, and forward
the same to Govt with your
remarks, if any, on the contention of the
Municipality of the Make

Thanks etc

for
L Law Esq to Govt

Memo No L 5340 dated 14th Dec. '41
Ltr
17/12
Copy to be kept with D.O. for info.
D.O.

for
L Law Esq

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 5349/Emergency dated Bangalore 19th December 1941

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore
Law Department

To

The Director of Public Health in Mysore,
Bangalore

SUBJECT Arrears of electric charges on account of water supply - Krishnarajanagar Minor Municipality

---

Sir,

I am directed to forward herewith a copy of letter No D3-2580/38-40 dated 12th September 1941, fom the Deputy Commissioner, Mysore District, on the above subject, stating that he has sent a copy of the note by the President, Krishnarajanagar Minor Municipality to the Superintending Engineer, Irrigation Circle and the Sanitary Engineer, Bureau of Sanitary Engineering for their remarks

I am to request you to instruct the Sanitary Engineer, Bureau of Sanitary Engineering to expedite his reply, obtain and forward the same to Government with your remarks, if any, on the contention of the Municipal Council in the matter

I have the honor to be,
Sir,
Your most obedient servant,

Sd/- H V Narayana Rao,
Secretary to Government,
Law Department

Memo No L 5350 dated 19th December 1941

Copy of the above is forwarded, with compliments, to the Deputy Commissioner, Mysore District, for information

By Order,

For Secretary to Government,
Law Department

SR/3/1

GOVERNMENT OF MYSORE

650/1
3, C1

1 1 gr pipe
Add

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

MYSORE,

BANGALORE

No C 73-22

Encls

Date 27th April 1942

To

The Secretary to Government,

Law Department,

BANGALORE

SECY LAW DEPT
GOVT OF MYSORE

Sir,

Subject - Arrears of electric charges on account of water supply - Nagar minor Municipality

With reference to your D O letter No L 8689 dated 19th March 1942 on the above subject, I have the honor to enclose herewith a copy of letter No 1556 dated 11-4-42 of the Sanitary Engineer, with a copy of its enclosure, opining that the Municipality has no ground for any concessional treatment in respect of the dues

I have the honour to be,
Sir,
Your most obedient servant,
O Gautama
DIRECTOR OF PUBLIC HEALTH

LJR

Letter o 1506 dated 14-1-1942 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health in Mysore, Bangalore

Re Arrears of electric charges on account of water supply - Krishnaraja nagar Municipality-

With reference to your letter No C 73-19 dated 30th March 1942 requesting me to submit my report on the above, I have the honour to state that the plea put forward by the municipality that the Ram pump could not be worked continuously, owing to shortage of water in the channel to feed the ram and that therefore, they had to work the kerosene oil engines at extra cost, is not tenable, as could be seen from the letter of the Executive Engineer, Krishnarajasagar Division o 2771 dated 27th January 1942 (copy enclosed) which clearly brings out that there was sufficient head of water in the channel at all times of the year The need for the working of the kerosene oil pump was due to the fact that more quantity of water was being pumped daily for the town than what was possible to be got by continuous use of the ram pump This fact has also been admitted by the Municipality in their note that accompanied Deputy Commissioner's letter o B 2580/39-40 dated 12-9-1941 The Deputy Commissioner in his letter No B 2680/39 dated 24-10-41 to the Municipal President, has opined that the municipality is not a philanthropic institution and the consumption of water should have been limited to the absolute minimum requirements at minimum cost and that the concession prayed for if accorded, would only be a bad precedent to be followed up by all other municipalities Under the circumstances, I am also of the opinion that the municipality has no ground for any concessional treatment in respect of the dues of this municipality

-o-

Copy"

DIRECTOR OF PUBLIC HEALTH

Letter No 2771 dated 27th January 1942 from the Executive Engineer, Krishnarajasagar Division, Krishnarajasagar, to the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore

---

Krishnarajanagar water supply

--

With reference to your letter No 1698 dated the 16th November 1941, I have the honour to state that there is only one set of gauge readings taken and recorded during the non-irrigation season of 1937 between January and June, a copy of which is enclosed herewith for your information The recording of these gauge readings does not seem to have been continued in 1938 and 1939 as this Department was always replenishing the water supply reservoir, whenever the level went low, on receipt of intimation from your Departmental men at R agar

I may mention here that zero level represents the bed of the channel which leads water into the reservoir And the level of the inlet of the Drive pipe of the Hydraulic ram is 5½ feet below zero or bed of the channel You will find from a perusal of the gauge readings of 1937 attached herewith that there was always sufficient head of water above the inlet to work the hydraulic ram and secondly that the level of water in the reservoir was raised at necessary intervals, whenever it went low, by letting water into the channel

Hence I agree with you that between 1936 and 1939 there was no shortage of supply of water to the reservoir during non-irrigation season for water supply of the town to work the hydraulic ram

I understand that the capacity of the hydraulic ram is 3000 Gallons per hour, that of the kerosene oil engine 4000 gallons per hour and that of the electric pump 5000 gallons per hour It is further seen that the pumping has gradually increased to very nearly 90,000 gallons per day at present It is obvious that the hydraulic ram was not worked even though there was water supply in the channel and the tank on account of the large quantity of water that had to pumped for the consumption It is also learnt that even during the

irrigation

irrigation season, when there is no dearth of water for the rum, it is not being worked now as the quantity to be pumped is very large.

Copy
G. N. Peshaw
DIRECTOR OF PUBLIC HEALTH

Appendix F G—1]

SUBJECT

Section Jnl

File No 107-41

Serial No 26

Diary No of letter replied to

To The Dir of P W
No L/1951 in mysore

To Subject Remission of the arrears of
Electric Charges on account of water Supply
to the Krishnarajanagar municipality

General and Revenue Secretariat

( )

the *19*

With refee to your letter No CB-22
Dy 27 4 42 formerly your opinion
on the above mentioned subject,
I am directed to enquire if
there are any other similar cases,
in which Concession has been
granted in regard to the remission
of such charges wholly or partially.
If your reply is in the affirmative
the No and date of the G O sanctioning
such remission may be kindly quoted

The favour of an immediate reply
is requested

I have etc

For Secy to Govt
Rev Dept

Date of issue 13/8/42

Signed by Mr G V Rao

List

List of enclosures

Copied by

Examined by

WD 086—GPB—40 000—30 7 40

Memo No L 1952 dt 13/8/42

Copy of the above is forwarded W/c to the D.C Mysore Dist with refee to the Correspondence ending with his letter No D3 2580/39-40 dt 12-9-41 on the subject, for information

By order

For Secy to Govt
Law Dept

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 195/ 107-21-28 *Dated Bangalore* 18 August 1942

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore

Law Department

To

The Director of Public Health in Mysore

Subject:- Remission of the arrears of electric charges on account of water supply to the Krishnarajanagar Minor Municipality

***

Sir,

With reference to your letter No C 73-22 dated 27th April 1942 furnishing your opinion on the above subject, I am directed to enquire if there are any other similar cases, in which concession has been granted in regard to the remission of such charges wholly or partially If your reply is in the affirmative the number and date of the Government Order sanctioning such remission may be kindly quoted

The favour of an immediate reply is requested

I have the honour to be
Sir,
Your most obedient servant,

Sd/- C Narayanaswamy Naidu,

Secretary to Government,
Law Department

Memo No L 195-2 ***

Dated, Bangalore, the 18 August 1942

Copy of the above is forwarded with compliments to the Deputy Commissioner, Mysore District, with reference to the correspondence ending with ~~your~~ letter No D3 2580/39-40 dated 12th September 1941 on the subject, for information

By Order,

For Secretary to Government,
Law Department

3 F No 46]

GOVERNMENT OF MYSORE

2464/21

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

IN MYSORE MH/107-41-29

CAMP MYSORE

Date October 16, 1942

No 40
Encls Nil

SECY LAW DEPT
19 OCT 1942
TO GOVT OF MYSORE

20 OCT 1942
L S G BRANCH

The Secretary to Government,
Law Department, Bangalore

Re Remission of the arrears of Electric Charges on account of water supply to the Krishnarajanagar Minor Municipality

Sir

---

flag 'O'

With reference to your letter No L 1951/M1 107-41-28 dated 13th August 1942, on the above subject enquiring if there are any other similar cases in which concession has been granted in regard to the remission of such charges wholly or partially, I have the honour to reply in the negative

I have the honour to be

Sir,

Your most obedient servant,

T Ganhamaiya

Director of Public Health

Appendix F G—1]

SUBJECT

Remission of the arrears of electric charges on account of water supply to Krishnarajanagar Municipality

Section Rl

File No 107-41

Serial No 30

Diary No of letter replied to

L 4888

No

To, The Dy Secy to GOI

in Mysore

To Sir,

With reference to your letter No Lo Dy 16 1062 on the above subject, I am directed to enquire whether there are any more such cases pending or likely to come up for remission

The matter should be kindly treated as extremely urgent and the information furnished at once

I have etc

for Secy to Govt

Law Dept

General and Revenue Secretariat

( )

the *194*

Date of issue 17 11 42

Signed by Mr GK Rao

List of enclosures

Copied by

Examined by

WD 04161—GPB—60 000—21 10 41

C F No 46]

GOVERNMENT OF MYSORE

43

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH,

IN MYSORE

BANGALORE

No

Encls

Date 23rd February 1943

To

The Secretary to Government,

Law Department,

Bangalore

Sir

Subject - Remission of the arrears of electric charges on account of water supply to Krishnarajanagar minor municipality

--

With reference to your letter No L 4888/41 107-41-30 dated 17th November 1942 enquiring whether there are any more such cases pending or are likely to come up for remission, I have the honour to state that so far there has not arisen any claim for remission except that of Krishnarajanagar town water works

I have the honour to be,
Sir,
Your Most obedient servant,

Director of Public Health

JBR

Appendix F G —1]

SUBJECT

11

Section rnl

File No 107- 41

Serial No 31

Diary No of letter replied to

No L6636

To

General and Revenue Secretariat

( )

the *194*

The D e Mysore Delhi,

Sir,

I ate of issue 4/11

Signed by W. A. Rao

with reference to the correspondence ending with your letter No D 3 - 2580/39-1 dy 12 - 9 - 41 re the representation of the Krishnarajasagara Power Supply rnl el to remit a sum of Rs 5,000/-, being the arrears of ~~electric~~ charges payable by the Wheel for Electric ~~supply~~ power supplied for pumping water at the place, I am directed to state that the ~~request~~ representation of the rnl el cannot be complied with

List of enclosures

Copied by

Examined by

WD 04161—GPB—60 000—24 10 41

and to request you to take
immediate action for the adjustment
of the said arrears, ~~[illegible]~~,
the fact being reported to you by the
end of Jan 1944

I have etc.

for Secy, Govt of India

Memorandum — L 6637-9 dt 4/1/44

Copy of the is forwarded with compliments
to the 1) D P H for information with reference to the
correspondence ending with his letter no C 141-26 dt 27-2-43

2) Chief Engineer for information with
reference to his note no 1107/R-S S dt 9-3-42

3) Comptroller, for information

for
Secy to Govt
Labour Dept

OFFICE OF THE DEPUTY COMMISSIONER
MYSORE DISTRICT

No D3-C 2580/39-40
Encl

Dated Mysore the 26th August 1944

FROM

C M H Ranajodha Singh, Esq , B A ,
Deputy Commissioner Mysore District
MYSORE

To

C Narayanaswami Naidu, Esq , B A ,B L ,
Legal Remembrancer and
Secretary to the Government of Mysore
BANGALORE
Law Department

SIR

Subject - Adjustment of Rs 5000/- towards arrears of Electric power during from Krishnarajna ar Municipality

---

With reference to your letter No L 6636/M1 107-41-31 dated 4th January 1944 and subsequent reminder letter No L 366/M1 dated 14th July 1944 on the above subject, I have honour to state that the President, Municipal Council, Krishnarajnagar, reports that the Municipality is not at present in a position to adjust the entire amount in a lump owing to its financial difficulties A sum of Rs 500/- has been credited to 17 (a) P W deposits on 31-7-1944 towards the first instalment The president has promised to adjust the balance of arrears on monthly instalments of Rs 500/- each, apart from monthly payments of such bills during the current year 1944-45 A copy of his letter No H C 16/44 dated 29-7-1944 is herein enclosed The actual closing balance at the credit of the Municipality on 30-6-1944 was Rs 5152/- and it has to meet the usual payments

I therefore request you to be so good as to obtain sanction of Government to the proposal of the President, for the grant of necessary permission to pay in monthly instalments of Rs 500/- per mensem towards the adjustmert of arrears

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Mysore District

Rl 107-41-32 2983/42

OFFICE OF THE DEPUTY COMMISSIONER
MYSORE DISTRICT

D3-C 2580/39-40

No
Encl

Dated Mysore the 30th October 194 4

FROM

C M H Ranajodha Singh, Esqr , B A ,
~~H SIDDA RAO ESQ B A~~
Deputy Commissioner Mysore District
MYSORE

SEOY LAW DEPT 1 1944 GOVT OF MYSORE

C Narayanaswami Naidu, Esqr , B A , B L ,
Legal Remembrancer and
Secretary to the Government of Mysore
Law Department, *BANGALORE*

SIR

Subject - Re the payment of the arrears of Rs 5000/- being the water supply maintenance charges by the Krishnarajnagar Municipality

I have the honour to invite your kind reference to this Office letter of even No dated the 27th August 1944 on the above subject and to state that the President, Krishnarajnagar Municipality has credited a sum of Rs 500/- on 5-10-44 under the head 17(a) P W D , Sanitary Division being the 3rd monthly instalment towards the clearance of the above arrears As already stated I request that necessary orders of Government may kindly be obtained and sent duly approving of the proposal of the payment of the arrears in monthly instalments of Rs 500/- in addition to the current charges viz , onetwelth of the Annual maintenance charges for the year 1944-45

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Mysore District

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 16th NW × 1944

Signed by Mr B G Rao.

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ?

Section Rel

File No 107-41

Serial No 33

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— × Letter No L 6636/Rel 107-41-31 dt 4/1/44 from the Dc Mysore Dist Board regarding sanction to the proposal of the Krishnarajanagar Taluk Bd to remit a sum of Rs 5,000/- being the arrears of cess charges payable by the said Taluk Bd to the Dept for supplying the electric power required for pumping water at the place

2) ~~Letter No D3~~ Correspondence ending with letter No D3-c 2580/39 dt 30/10/44 from the D C Mysore District

requesting, in the circumstances stated, sanction, to the proposal of the President, Krishnamagar municipality to pay the arrears of Rs 5000/- due by the latter referred to in the letter read above, in monthly instalments of Rs 500/- each in addition to the current charges and adding that, so far, the first instalment in this behalf has been deducted under Rule 17(a) P.W.D

order No 14733-8 Dy 16th Nov 1944

The proposal to pay up the arrears in instalments of Rs 500/- per year is sanctioned.

The Director of Typography is requested to obtain reports of credit of this amount to the Treasury every month and submit a special report thereof after all the arrears are discharged

List of Enclosures

Completely

for
Secretary to Govt

To,
The Director of Typography.
The D P H
The Chief Engineer for Irrigation
The Comptroller
Secretary Electricity Engineer

Copied by

Examined by

WD 087—GPB—40 000—14 11 40

Secretary to Govt Electrical Deptt